Large Language Models and Applications in Medical Domain



Chenguang Wang

CSE 531A Attendance Form

Large language models are the main drivers



GLUE +8 points

Natural language understanding

+20 points

Dialog systems

+5 points

Question answering

+9 points

GitHub Copilot Service

Code generation

Large language models power emerging abilities



Large language models power emerging abilities





Code generation

sentiments.ts | write_sql.go | parse_expenses.py | addresses.rb

```ts
#!/usr/bin/env ts-node

import { fetch } from "fetch-h2";

// Determine whether the sentiment of text is positive
// Use a web service
async function isPositive(text: string): Promise<boolean> {
  const response = await fetch(`http://text-processing.com/api/sentiment/`, {
    method: "POST",
    body: `text=${text}`,
    headers: {
      "Content-Type": "application/x-www-form-urlencoded",
    },
  });
  const json = await response.json();
  return json.label === "pos";
}
```

Language and vision

Midjourney



"A painting of tall trees walking along a road, with chirping and trembling birds in front of a white sky in them in the style of Austrian expressionist Egon Schiele"



"Lakeshore Without Sun, 1913 in the expressionist style of Egon Schiele"

Creative writing

I must have shadows on the way

The moon is bright, the sun is dark

The wind is cold and the night is long

And I must have shadows on the way



Reading comprehension



Not logged in Talk Contributions Create account Log in

Article Talk | Read View source View history | Search Wikipedia

Brewing

From Wikipedia, the free encyclopedia

"Brewer" redirects here. For other uses, see Brewer (disambiguation).

This article is about the brewing of beer. For homebrewing, see Homebrewing. For other uses, see Brewing (disambiguation).

Brewing is the production of beer by steeping a starch source (commonly cereal grains, the most popular of which is barley)[1] in water and fermenting the resulting sweet liquid with yeast. It may be done in a brewery by a commercial brewer, at home by a homebrewer, or by a variety of traditional methods such as communally by the indigenous peoples in Brazil when making cauim.[2] Brewing has taken place since around the 6th millennium BC, and archaeological evidence suggests that emerging civilizations including ancient Egypt[3] and Mesopotamia brewed beer.[4] Since the nineteenth century the brewing industry has been part of most western economies.

The basic ingredients of beer are water and a fermentable starch source such as malted barley. Most beer is fermented with a brewer's yeast and flavoured with hops.[5] Less widely used starch sources include millet, sorghum and cassava.[6] Secondary sources (adjuncts), such as maize (corn), rice, or sugar, may also be used, sometimes to reduce cost, or to add a feature, such as adding wheat to aid in retaining the foamy head of the beer.[7] The proportion of each starch source in a beer recipe is collectively called the grain bill.

Steps in the brewing process include malting, milling, mashing, lautering, boiling, fermenting, conditioning, filtering, and packaging. There are three main fermentation methods, warm, cool and spontaneous. Fermentation may take place in an open or closed fermenting vessel; a secondary fermentation may also occur in the cask or bottle. There are several additional brewing methods, such as barrel aging, double dropping, and Yorkshire Square.

A 16th-century brewery

Contents [hide]

1 History
2 Ingredients
3 Brewing process
4 Mashing
  4.1 Lautering
5 Boiling
  5.1 Brew kettle or copper

Question:

when are hops added to the brewing process?

Short Answer:

The boiling process

Long Answer:

After mashing , the beer wort is boiled with hops (and other flavourings if used) in a large tank known as a " copper " or brew kettle – though historically the mash vessel was used and is still in some small breweries . The boiling process is where chemical reactions take place , including

Midjourney: The Largest Discord



ChatGPT: Fastest Platform to 100M Users



Exponential Growth in LLMs



Model

- Language models assign a probability to a sequence of words
- We can decompose this probability using the chain rule
- We can autoregressively generate sequences from the language model by sampling from its token-level probability
- We can condition on our language distribution on something else

$$p(\bar{y})$$

$$p(\bar{y}) = \Pi_{i=1}^{T} p(y_i \mid y_{0:i-1})$$

$$p(y_i \mid y_{0:i-1})$$

$$p(y_i \mid y_{0:i-1}; \bar{x})$$

Model


Transformer
State
n x
Add & Norm
Position-
wise FFN
Add & Norm
Multi-head
Attention
Positional
Encoding
Embedding
Sources
Dense
Add & Norm
Position-
wise FFN
Add & Norm
Muti-head
Attention
x n
Add & Norm
Multi-head
Attention
Positional
Encoding
Embedding
Targets

Model

Multi-head Attention



$$\text{Attention}(\mathbf{Q}, \mathbf{K}, \mathbf{V}) = \text{softmax}\left(\frac{\mathbf{Q}\mathbf{K}^T}{\sqrt{d_k}}\right)\mathbf{V}$$

$$\text{MultiHead}(\mathbf{Q}, \mathbf{K}, \mathbf{V}) = \text{Concat}(\text{head}_1, \ldots \text{head}_h)\mathbf{W}^o$$

$$\text{where head}_i = \text{Attention}\left(\mathbf{Q}\mathbf{W}_i^q, \mathbf{K}\mathbf{W}_i^k, \mathbf{V}\mathbf{W}_i^v\right)$$

and $\mathbf{W}_i^q \in \mathbb{R}^{p_q \times d_q}, \mathbf{W}_i^k \in \mathbb{R}^{p_k \times d_k},$ and $\mathbf{W}_i^v \in \mathbb{R}^{p_v \times d_v}$



Training (and post-training)

Structure pretraining

Teach GPT to generate knowledge or structures from natural language



Wang et al., DeepStruct: Pretraining of Language Models for Structure Prediction, ACL 2022

Training (and post-training)



Training (and post-training)

- Increasingly we want to teach models more abstract behaviors

- Objective function of instruction finetuning seems to be the “bottleneck” of teaching these behaviors

- The maximum likelihood objective is “predefined” function (i.e. no learnable parameter)

- Can we parameterize the objective function and learn it?

Training (and post-training)

- Reward model training



Humans label which completion is preferred.

This setup aims to align models to the human preference

Training (and post-training)

- Reward model training

Let p_{ij} be the probability that completion y_i is better than completion y_j

Bradley–Terry model (1952): log odds that completion y_i is favored over y_j is modeled as difference in the rewards

$$\log \frac{p_{ij}}{1 - p_{ij}} = r(x, y_i; \phi) - r(x, y_j; \phi)$$

$$p_{ij} = \frac{e^{r(x,y_i;\phi)-r(x,y_j;\phi)}}{1 + e^{r(x,y_i;\phi)-r(x,y_j;\phi)}} = \sigma(r(x, y_i; \phi) - r(x, y_j; \phi))$$

$$\max_{\phi} \sum_{x,y_i,y_j \in D} \log p_{ij}$$

Inference

Zero-Shot Reasoning



Zero-shot reasoning methodologies have proven useful for specific task domains

Inference

Language Models as Agents



Reason Only



Act Only



AutoGPT





ReAct (Reason + Act)



Agents utilize planning to accomplish more complex tasks

Inference

Zero-Shot AgentInstruct: Overview

Zero-Shot

Passage: Alan Rickman & Emma Thompson give good performances with southern/New Orleans accents in this detective flick. It's worth seeing for their scenes- and Rickman's scene with Hal Holbrook.

These three actors mannage to entertain us no matter what the movie, it seems. The plot for the movie shows potential, but one gets the impression in watching the film that it was not pulled off as well as it could have been.

The fact that it is cluttered by a rather uninteresting subplot and mostly uninteresting kidnappers really muddles things.

The movie is worth a view- if for nothing more than entertaining performances by Rickman, Thompson, and Holbrook.

Sentiment: **Positive** ✗

Zero-Shot CoT

Passage: Alan Rickman & Emma Thompson...
Let's think step by step.

...What is the author's conclusion?

The author concludes that the movie is worth a view, mainly for the entertaining performances of the three main actors, despite some flaws in the plot.

Therefore, the correct label among {'Negative', 'Positive'} (just the label) to the original task is below.

Sentiment: **Positive** ✗

Zero-Shot AgentInstruct

Task Information
Name: *IMDB*; Labels: *Positive, Negative*; Input Examples: *"Passage: ..."*

↓

Agent

↓

Agent Instructions

Instructions:
1. Understand the Dataset: The IMDB Movie Reviews dataset contains 50,000 reviews... These reviews are labeled as either positive or negative...
2. Analyze the Passage: Pay attention to the language, the tone of the review, and any explicit or implicit expressions of sentiment towards the movie...

Chain of Thought (CoT) Reasoning

Passage: Alan Rickman & Emma Thompson...
Follow the instructions...

The passage provides a mixed assessment of the movie, praises the performances of Alan Rickman, Emma Thompson, and Hal Holbrook but also expresses disappointment... the reviewer's use of language and tone suggests that they are leaning towards a negative sentiment...

Additionally, the reviewer mentions that the movie is "worth a view" only for the performances of the three actors, implying that the movie itself is not particularly noteworthy.

Therefore, the correct label among {'Negative', 'Positive'} (just the label) to the original task is below.

Sentiment: **Negative** ✓

Our agent produces task-specific instructions to instruct the reasoning process of LLMs

Crispino et al., Agent Instructs Large Language Models to be General Zero-Shot Reasoners, ICLR 2024 Workshop

Inference

Zero-Shot AgentInstruct: Agent Instructions



An example of our agent creating task-specific instructions for the IMDB dataset

Inference

Datasets



We evaluated our method on 29 datasets spanning generation, classification, and reasoning

Inference

Result



Zero-shot AgentInstruct shows a significant improvement over all 29 datasets on average

Inference

Result



Zero-shot AgentInstruct shows an improvement on each category of tasks

Inference

Result



Zero-shot AgentInstruct achieves SoTA results on 20 of the 29 datasets

Inference

Ablation Study

	AddSub	IMDB	NarrativeQA
Zero-Shot AgentInstruct	**79.5**	**94.0**	**65.0**
w/o Agent Instructions	73.2	89.0	62.3
w/o Input Examples	72.4	88.0	60.1
w/o Labels	74.9	93.8	63.9
w/o GPT-4	75.2	92.6	63.5

All components of zero-shot AgentInstruct are important

Inference

Comparison on GPT-4



Zero-shot AgentInstruct is a cost-effective alternative to using agents directly

Inference

Truncating Context Length



Zero-shot AgentInstruct is sensitive to the context window

Inference

Model Scaling



Llama-2-70b-chat with Zero-shot AgentInstruct outperforms zero-shot ChatGPT by 10.2%

Inference

Comparison Methods: Few-Shot



Zero-shot AgentInstruct performs near the level of few-shot prompting

Inference

Comparison Methods: Self-Consistency



Zero-shot AgentInstruct exceeds the performance of self-consistency

Inference

Case Study: Medical Domain

You will be provided instructions for completing a task followed by a task to complete.
Instructions:
1. Understand that this task is about classifying sentences related to medical scenarios. The sentences are from the 'raft' dataset, specifically the 'ade_corpus_v2' subset.
2. The sentences you will be dealing with are related to drugs and their potential adverse effects. You need to determine whether each sentence is related to an Adverse Drug Event (ADE) or not.
3. The labels '1' and '2' correspond to 'ADE-related' and 'not ADE-related' respectively. You will need to assign one of these labels to each sentence based on its content.
4. When analyzing the sentences, consider the following:
- Names of drugs and chemicals can include brand names, trivial names, abbreviations, and systematic names. These should strictly be in a therapeutic context.
- Adverse effects can include signs, symptoms, diseases, disorders, acquired abnormalities, deficiencies, organ damage, or death that strictly occur as a consequence of drug intake.
5. Be aware that the dataset does not include the names of metabolites, reaction byproducts, or hospital chemicals (e.g. surgical equipment disinfectants).
6. Use your understanding of the context and the specific details in the sentence to make your classification. Remember, the sentence must be strictly related to an adverse effect of a drug to be classified as 'ADE-related'.
7. Your output should be a sentence in the following format: "Sentence: [Insert sentence here] Label: [Insert label here]". Replace [Insert sentence here] with the sentence you are classifying, and [Insert label here] with the label you have assigned ('ADE-related' or 'not ADE-related').
8. The dataset is in English and is monolingual. Ensure your responses align with this language requirement.
9. The dataset was created and annotated by experts and crowdsourced contributors. This means the sentences and labels are reliable and should be treated as such.
Sentence: Pulses have been given for periods up to three years without evident toxicity.
Follow the instructions to generate an explanation that reasons towards the correct answer to the task above. End the explanation with the correct answer. [/INST] Explanation:
The sentence "Pulses have been given for periods up to three years without evident toxicity" is related to the administration of drugs, specifically pulses, and their potential adverse effects. The sentence mentions that pulses have been given for extended periods of time without any evident toxicity, implying that the drug has been tested and proven to be safe for use.
However, the sentence does not strictly relate to an adverse drug event (ADE) as it does not mention any specific adverse effects or negative reactions to the drug. Instead, it focuses on the drug's safety and lack of toxicity, which is not within the scope of ADEs.
Therefore, the correct label for this sentence is "not ADE-related".
Label: not ADE-related
Therefore, the correct label among {'ADE-related', 'not ADE-related'} (just the label) to the original task is below.
Label: not ADE-related



Applications: Multimodal

Enable LLMs to understand images via natural language



Applications: Multimodal

Problem: STEM is the basis of solving a wide set of real-world problems, requiring vision-language understanding, LLMs?



Q: Think about the magnetic force between the magnets in each pair. Which is true?

(A) It is smaller in Pair 1.
(B) It is the same in both pairs
(C) It is smaller in Pair 2.

(i) Science



Q: What kind of computer component do you see?

(A) Display Adapter/Video Card
(B) CPU Socket
(C) SATA Bus

(ii) Technology



Q: Vicky wondered if steel would rust faster if she added vinegar to the salt water. She put five into a tub with salt water, and the other five into a tub with salt water mixed with vinegar. Which were part of an experimental group?

(A) Those soaked in salt water
(B) Those soaked in salt water and vinegar

(iii) Engineering



Q: Identify the cross section of this object.



(A) (B) **(C)** (D)

(iv) Math

Challenges: No benchmarks were designed for measuring models' fundamental STEM skills.

Shen etal, Measuring Vision-Language STEM Skills of Neural Models, ICLR 2024

Applications: Multimodal

Approach: collect a large-scale multimodal multichoice question dataset

Dataset	#Questions	#Images	Multimodal	Q Length	#Answers	#Skills	Subjects	Grades	Image Type	Answer Type	Difficulty
VQA (2015)	614,163	204,721	✓	6.1	-	-	-	-	Natural	Text	-
CLEVR (2017)	999,968	100,000	✓	18.4	-	-	-	-	Natural	Text&Number	-
MATH (2021b)	12,500	-	✗	64.8	-	7	Math	9~12	-	Number	Advanced
MMLU (2021a)	15,908	-	✗	52.6	4	-	STEM	-	-	Multi-choice	Advanced
Geometry3K (2021a)	3,002	2,342	✓	10.1	4	-	Math	6~12	Diagram	Multi-choice	Medium
IconQA (2021b)	107,439	96,817	✓	8.4	2-5	13	Math	Pre-K~3	Icon	Multi-choice&Others	Fundamental
ScienceQA (2022)	21,208	10,332	✗	12.1	2-5	379	Science	1~12	Natural&Diagram	Multi-choice	Medium
STEM (ours)	1,073,146	1,911,728	✓	17.4	2-4	448	STEM	Pre-K~8	Natural&Diagram	Multi-choice	Fundamental

Results: models are well below the performance of elementary students

Impact: algorithmic innovations are needed to solve STEM



Shen etal, Measuring Vision-Language STEM Skills of Neural Models, ICLR 2024

Applications: Robotics

PaLM-E: An Embodied Multimodal Language Model



Mobile Manipulation



Human: Bring me the rice chips from the drawer. Robot: 1. Go to the drawers, 2. Open top drawer. I see <img>. 3. Pick the green rice chip bag from the drawer and place it on the counter.

Visual Q&A, Captioning ...



Given <img>. Q: What's in the image? Answer in emojis. A: 🍏🍌🍇🍐🍑🍈🍒.



Describe the following <img>: A dog jumping over a hurdle at a dog show.

Task and Motion Planning



Given <emb> Q: How to grasp blue block? A: First grasp yellow block and place it on the table, then grasp the blue block.

Tabletop Manipulation



Given <img> Task: Sort colors into corners. Step 1. Push the green star to the bottom left. Step 2. Push the green circle to the green star.

Language Only Tasks

Q: Miami Beach borders which ocean? A: Atlantic. Q: What is 372 x 18? A: 6696.Q: Write a Haiku about embodied LLMs. A: Embodied language. Models learn to understand. The world around them.

Given . Q: How to sort the blocks by colors into the corners? A:

Applications: Security and Attacks



Applications: Medical Domain



LLMs have many potential applications in the medical domain, but face several challenges.

PaLM: Scaling Language Modeling with Pathways



PaLM is a large transformer model achieves SOTA performance across hundreds of tasks.

PaLM: Scaling Language Modeling with Pathways



On average, PaLM outperforms the average human on popular benchmarks.

Med-PaLM: Large language models encode clinical knowledge



Med-PaLM builds on top of PaLM, tailoring it for use in clinical applications.

Med-PaLM 2: Towards Expert-Level Medical Question Answering with Large Language Models





With an updated base model, Med-PaLM 2 outperforms both Med-PaLM and clinicians.

Med-PaLM 2: Towards Expert-Level Medical Question Answering with Large Language Models



Med-PaLM 2 is conditioned on multiple possible reasoning paths that it generates to enable it to refine and improve its answer. This technique is known as ensemble refinement.

Where is this technology in use?

- Bayer Pharma is exploring how Med-PaLM 2 can accelerate drug discovery and bring new drugs to market.

- HCA Healthcare is piloting solutions to reduce the burden of administrative tasks faced by doctors and nurses (e.g., a tool that extracts information from physician-patient conversations to draft medical notes)

- MEDITECH is using generative AI to help search and summarize electronic health records.

- This technology is also in use at a handful of other healthcare and life science organizations (Ginkgo Bioworks, Hackensack Meridian Health, Huma Therapeutics, and Infinitus Systems Inc.)